

Please see page 14 for list of Collected Stock, with prices.

## CARD.

The HIGHLANDS NURSERY grows exclusively HARDY AMERICAN NATIVE PLANTS, both ornamental and economic, being the first and still the largest nursery of the kind in this country. It has introduced and disseminated throughout this and foreign countries the following beautiful trees and plants, entirely unknown before to cultivation:

*Tsuga caroliniana* (Carolina Hemlock), *Azalea vaseyi*, *Vaccinium hirsutum* (Hairy Huckleberry), *Prunus alleghenensis*, *Vaccinium erythrocarpon*, *Gaylussacia ursina* (Buckberry), *Diervilla sessilifolia* (Yellow Mountain Honeysuckle), *Robinia hispida rosea*, *Lecophyllum buxifolium* var. *prostratum* (American Mountain Heath), *Rhododendron punctatum album*, *Lilium grayi*, *Shortia galacifolia*, *Polygonum ciliinode* (Buckwheat Vine), *Trillium stylosum*, *Krigia dandelion* var. *montana* (Mountain Dandelion), *Aconitum reclinatum*, *Liatris spicata* var. *montana*, *Carex fraseri*, *Houstonia purpurea* var. *tenuifolia*, *Viola pedata alba*, and the delicate little mountain *Saxifraga leucanthemifolia*, and others more largely of economic interest; while it has distributed many others which formerly were but rarely seen in cultivation, including *Amelanchier botryapium* (Snowy Mespilus), *Ilex monticola* (Deciduous Holly), *Magnolia fraseri*, *Azalea arborescens*; and the "Great Flame-colored" *Azalea calendulacea*; the Southern Pepper-bush, *Clethra acuminata*; *Hydrangea radiata* (Silver-leaved Hydrangea); *Leucothoe recurva*; the very rare "American Camellia," *Stuartia pentagyna*; *Vaccinium stamineum*, *Robinia viscosa*, *Xanthorrhiza apifolia* (Yellow Root); the true Southern Fraser's Fir, *Abies fraseri*; *Pinus pungens*, *Cyrilla racemiflora*, *Hypericum aureum*, *Chelone lyonii* (Pink Snake Head); the rare and curious *Dionaea muscipula* (Venus' Fly-trap); *Helonias bullata*, *Dicentra eximea*, and the extremely fine ground-covering plant, *Galax aphylla*, as well as many others.

Address,

Proprietor  
HIGHLANDS NURSERY,  
Western North Carolina.

HARLAN P. KELSEY,  
1150 Tremont Building,  
BOSTON, MASS.

## HARDY AMERICAN ORNAMENTAL DECIDUOUS TREES.

S.—Seedlings. Col.—Collected plants. All other stock nursery-grown.

	Size	Per 10	100	1,000
<b>Acer rubrum</b> , Scarlet Maple . . . . .	6 to 12 in. . .	\$0 40	\$3 00	
" " " " . . . . .	1 to 2 ft. . .	75	5 00	
" " " " . . . . .	2 to 3 ft. . .	1 00	8 00	
" " " " . . . . .	4 to 6 ft. . .	2 00	12 00	
" <b>saccharinum</b> , Sugar Maple . . . . .	6 to 12 in. . .	35	2 00	
" " " " . . . . .	1 to 2 ft. . .	40	3 00	
" " " " . . . . .	2 to 3 ft. . .	75		
" <b>spicatum</b> , Mountain Maple . . . . .	1 to 2 ft. . .	75	5 00	
" " " " . . . . .	2 to 4 ft. . .	1 50		
" <b>striatum</b> , Striped Maple . . . . .	6 to 12 in. . .	40	3 00	\$20 00
" " " " . . . . .	1 to 2 ft. . .	50	5 00	
<b>Æsculus flava</b> , Buckeye . . . . .	6 to 18 in. . .	40	3 00	
<b>Amelanchier botryapium</b> , Snowy Mespilus . . . . .	12 to 18 in. . .	60	5 00	
<b>Asimina triloba</b> , Papaw. S. . . . .		35	2 00	
<b>Betula lenta</b> , Sweet Birch . . . . .	1 to 2 ft. . .	40	3 00	
" " " " . . . . .	2 to 3 ft. . .	75	5 00	35 00
" <b>lutea</b> , Yellow Birch . . . . .	1 to 2 ft. . .	35	2 00	
" " " " . . . . .	2 to 3 ft. . .	75	5 00	
" <b>nigra</b> , River Birch . . . . .	1 to 2 ft. . .	1 00		
" <b>papyrifera</b> , Paper Birch . . . . .	6 to 12 in. . .	75		
" " " " . . . . .	2 to 3 ft. . .	1 00		
" " " " . . . . .	3 to 5 ft. . .	1 75	15 00	
<b>Carpinus caroliniana</b> , Water Beech . . . . .	1 to 2 ft. . .	1 00		
<b>Cornus alternifolia</b> , Swamp Dogwood . . . . .	6 to 12 in. . .	40	3 00	10 00
" " " " . . . . .	1 to 2 ft. . .	75	5 00	40 00
" " " " . . . . .	3 to 5 ft. . .	1 00		
" <b>florida</b> , White Dogwood . . . . .	1 to 2 ft. . .	75	5 00	
" " " " . . . . .	2 to 3 ft. . .	1 50		
<b>Catalpa bignonioides</b> . . . . .	2 to 4 ft. . .	50	3 00	
" " " " . . . . .	4 to 6 ft. . .	1 00	6 00	
<b>Fraxinus americana</b> , White Ash . . . . .	2 to 4 ft. . .	50	4 00	20 00
" " " " . . . . .	4 to 6 ft. . .	75	5 00	35 00
" " " " . . . . .	6 to 12 ft. . .	1 00	7 00	50 00
" <b>quadrangulata</b> , Blue Ash . . . . .	6 to 12 in. . .	1 50		
" <b>sambucifolia</b> , Black Ash . . . . .	6 to 12 in. . .	1 25	10 00	
<b>Gymnocladus canadensis</b> , Kentucky Coffee Tree. . . . .	2½ ft. . .	1 00	8 00	
<b>Halesia tetraptera</b> , Snowdrop Tree . . . . .	1 to 2 ft. . .	2 00		
" " " " . . . . .	4 to 6 ft. . .	3 50		
<b>ILEX monticola</b> , Mountain Holly . . . . .	6 to 12 in. . .	50	2 50	
" " " " . . . . .	12 to 18 in. . .	75		
" " " " . . . . .	3 to 5 ft. . .	1 50	12 00	
" " " " . . . . .	5 to 7 ft. . .	3 00	18 00	
<b>Liquidambar styraciflua</b> , Sweet Gum . . . . .	1 to 2 ft. . .	75	5 00	
" " " " . . . . .	2 to 3 ft. . .	1 25		
<b>Liriodendron tulipifera</b> , Tulip Tree . . . . .	6 to 12 in. . .	50	3 00	
" " " " . . . . .	1 to 2 ft. . .	75	5 00	
<b>Magnolia acuminata</b> , Cucumber Tree . . . . .	2 to 3 ft. . .	1 50		
" " " " . . . . .	3 to 4 ft. . .	2 00		
" <b>fraseri</b> , S. . . . .	3 to 9 in. . .	50	4 00	
" " " " . . . . .	6 to 12 in. . .	1 00	8 00	



## ORNAMENTAL DECIDUOUS TREES, continued.

	Size	Per 10	100	1,000
<b>Magnolia fraseri</b> . . . . .	12 to 18 in. . .	\$1 50		
“ <b>umbrella</b> . S. . . . .	3 to 6 in. . .	35	\$2 00	
“ “ . . . . .	6 to 12 in. . .	75	5 00	
“ “ . . . . .	1 to 2 ft. . .	1 25		
“ “ . . . . .	1 to 3 ft. . .	2 00		
<b>Negundo aceroides</b> , Ash-leaved Maple . . . . .	18 to 24 in. . .	1 00	8 00	\$60 00
<b>Ostrya virginica</b> , Iron Wood . . . . .	1 to 2 ft. . .	1 25		
<b>OXYDENDRUM arboreum</b> , Tree Andromeda.				
“ “ Extra fine stock . . . . .	6 to 12 in. . .	75	4 00	
“ “ “ “ . . . . .	1 to 2 ft. . .	1 00	8 00	55 00
“ “ “ “ . . . . .	2 to 3 ft. . .	1 50	12 50	85 00
“ “ “ “ . . . . .	3 to 3½ ft. . .	2 50		
<b>Platanus occidentalis</b> , Sycamore . . . . .	1 to 2 ft. . .	50	4 00	
“ “ “ “ . . . . .	2 to 4 ft. . .	1 00	8 00	
“ “ “ “ . . . . .	4 to 6 ft. . .	1 50		
“ “ “ “ . . . . .	6 to 9 ft. . .	2 50	18 00	
<b>Populus tremuloides</b> , Aspen . . . . .	3 to 5 ft. . .	1 00	6 00	
<b>Prunus pennsylvanicum</b> , Wild Red Cherry. Col.				
(A fine tree for producing quick shade and effect; short-lived . . . . .	16 to 18 in. . .	25	1 00	7 00
“ <b>serotina</b> , Black Cherry. Col. . . . .	1 to 2 ft. . .	40	3 00	12 50
<b>Salix</b> , Orel Weeping Willow . . . . .	1 to 3 ft. . .	1 50		
<b>Tilia americana</b> , Linden . . . . .	1 to 2 ft. . .	75		
<b>Quercus castanea</b> . S. . . . .	6 to 12 in. . .	1 00	6 00	
“ <b>rubra</b> . S. . . . .	6 to 12 in. . .	1 00	6 00	
<b>Rhamnus caroliniana</b> , Buckthorn. S. . . . .	3 to 6 in. . .	40	3 00	15 00
<b>Ulmus americana</b> , American Elm . . . . .	12 to 18 in. . .	75	5 00	35 00
<b>Pyrus americana</b> , Mountain Ash . . . . .	4 to 12 in. . .	1 00		

## DECIDUOUS SHRUBS.

	Size	Per 10	100	1,000
<b>Alnus incana</b> , Speckled Alder . . . . .	3 to 5 ft. . .	\$1 25		
<b>Amorpha fruticosa</b> , False Indigo . . . . .	6 to 12 in. . .	75	\$4 00	
“ <b>herbacea</b> . . . . .	1 to 2 ft. . .	75	4 00	
<b>Andromeda ligustrina</b> . . . . .	6 to 18 in. . .	50	3 00	
“ <b>mariana</b> . . . . .	6 to 12 in. . .	75	5 00	
“ “ . . . . .	12 to 18 in. . .	1 00	8 00	
<b>Aralia spinosa</b> , Hercules' Club . . . . .	1 to 2 ft. . .	1 00		

## AZALEAS.

The American Azaleas are among the choicest of all ornamentals, whether exotic or native, and were but rarely seen in cultivation before being offered by HIGHLANDS NURSERY. Large masses of “Great Flame-colored Azalea,” *calendulacea*, when seen in flower, present the most gorgeous effects, the shadings varying from deep crimson to a bright sulphur-yellow, and its complete hardiness is unquestionable. The foliage of *A. arborescens* is the finest of all the Azaleas, remaining a clear, shiny green throughout the summer, a characteristic not usual with this family. The large, white, sweet-scented flowers appear the last of all the Azaleas, and the numerous pink-tipped stamens protruding, give a most beautiful effect. *Azalea vaseyi* is one of the finest introductions of late years, the flowers appearing before the foliage in April in the greatest profusion, white to deep pink; attains a height of 12 to 15 feet. *A. nudiflora* (deep pink) and *A. viscosa* (white) are pretty, dwarfer varieties, very useful in the under shrubbery.

The only large and fine stock in the world of American Azaleas is now growing in the HIGHLANDS NURSERY, all heavy plants with balls and full of flower buds, excepting, perhaps, some of the smallest sizes.

## DECIDUOUS SHRUBS, continued.

	Size	Per 10	100	1,000
<b>AZALEA arborescens</b> . . . . .	6 to 12 in. . .	\$2 00	\$15 00	
“ “ “ . . . . .	1 to 2 ft. . .	6 00		
“ “ <b>calendulacea</b> , Great Flame-col- ored Azalea . . . . .	6 to 12 in. . .	1 00	6 00	\$45 00
“ “ “ . . . . .	12 to 18 in. . .	1 25	10 00	75 00
“ “ “ . . . . .	18 to 24 in. . .	1 75	15 00	125 00
“ “ “ <b>Extra heavy</b> . . . . .	2 to 3 ft. . .	4 00	35 00	225 00
Several hundred large clumps, heavily budded, 1 1-2 to 5 ft. high, with diameter to correspond, from \$1.50 to \$10 each.				
<b>Azalea nudiflora</b> , Pinxter Flower . . . . .	6 to 12 in. . .	1 25	10 00	
“ “ “ . . . . .	1 to 2 ft. . .	2 50		
“ (Rhododendron) <b>vaseyi</b> . . . . .	6 to 12 in. . .	1 00	6 00	45 00
“ “ “ . . . . .	12 to 18 in. . .	1 25	10 00	75 00
“ “ “ . . . . .	18 to 24 in. . .	1 75	15 00	125 00
“ “ “ <b>Extra fine</b> . . . . .	2 to 3 ft. . .	4 00	35 00	225 00
“ “ “ <b>Very heavy</b> . . . . .	3 to 4 ft. . .	6 00	50 00	
“ <b>viscosa</b> , Early White Azalea . . . . .	6 to 12 in. . .	75	4 00	30 00
“ “ “ <b>Extra fine</b> . . . . .	1 to 2 ft. . .	1 25	7 00	50 00
“ “ “ . . . . .	2 to 3 ft. . .	1 75	12 50	
<b>BERBERIS canadensis</b> , American Barberry . . . . .	12 to 18 in. . .	75	5 00	
“ “ <b>Fine stock</b> . . . . .	1½ to 3 ft. . .	1 00	7 00	60 00
<b>Callicarpa purpurea</b> , French Mulberry . . . . .	6 to 12 in. . .	75	5 00	
<b>Calycanthus floridus</b> , Sweet Shrub. S. . . . .	3 to 6 in. . .	25	1 00	
“ “ “ . . . . .	6 to 12 in. . .	30	2 00	12 50
“ “ “ . . . . .	2 to 3 ft. . .	1 25	10 00	
“ <b>glaucus</b> . . . . .	1 to 2 ft. . .	1 25		
“ “ . . . . .	2 to 3 ft. . .	2 00		
“ <b>laevigatus</b> . . . . .	1 to 2 ft. . .	1 25	8 00	
<b>Chionanthus virginica</b> , White Fringe. S. . . . .	2 to 4 in. . .	50	2 50	12 50
“ “ “ . . . . .	12 to 18 in. . .	1 25	10 00	
“ “ “ . . . . .	2 to 3 ft. . .	3 00		
<b>CLETHRA acuminata</b> , Southern Pepper Bush . . . . .	12 to 18 in. . .	50	4 00	30 00
“ “ <b>Clumps</b> . . . . .	3 to 5 ft. . .	2 00	12 50	
“ <b>alnifolia</b> . . . . .	3 to 6 in. . .	35	2 00	
“ “ . . . . .	6 to 12 in. . .	50	4 00	
“ “ <b>Extra Heavy</b> . . . . .	12 to 18 in. . .	75	5 00	35 00
<b>Cornus sericea</b> , Silky Cornel . . . . .	2 to 3 ft. . .	1 50	12 50	
“ <b>stolonifera</b> , Red Twigged Dogwood . . . . .	6 to 12 in. . .	50		
“ “ “ . . . . .	1 to 2 ft. . .	1 00	8 00	
“ “ “ . . . . .	2 to 3 ft. . .	1 50		
<b>Corylus rostrata</b> , Beaked Hazel . . . . .	1 to 2 ft. . .	50		
<b>Decodon (nesæa) verticillatus</b> , Swamp Loose- strife . . . . .	6 to 12 in. . .	75	5 00	
<b>DIERVILLA sessilifolia</b> , Southern Bush Honeysuckle. (Sulphur yellow.) Clumps . . . . .	1½ to 3 ft. . .	75	4 00	30 00
“ <b>trifida</b> . . . . .	3 to 6 in. . .	50	2 50	
“ “ . . . . .	12 to 18 in. . .	75	4 00	
<b>Euonymus americana</b> , Strawberry Bush . . . . .	3 to 6 in. . .	50		
<b>Gaylussacia frondosa</b> , Blueberry . . . . .	6 to 18 in. . .	75	5 00	
<b>Hamamelis virginica</b> , Witch Hazel . . . . .	6 to 12 in. . .	50	3 00	
“ “ “ . . . . .	1 to 2 ft. . .	1 25	7 00	
“ “ <b>Heavy Clumps</b> . . . . .	2 to 3 ft. . .	2 50		
“ “ “ . . . . .	4 to 6 ft. . .	3 50		
<b>HYDRANGEA radiata</b> , Silver-leaved Hy- drangea . . . . .	1 to 2 ft. . .	75	5 00	35 00
“ <b>arborescens</b> . . . . .	1 to 2 ft. . .	75	4 00	



## DECIDUOUS SHRUBS, continued.

	Size	Per 10	100	1,000
<b>Itea virginica</b> . . . . .	6 to 12 in. . .	\$0 75	\$4 00	
" " . . . . .	1 to 2 ft. . .	1 00	7 00	
<b>Lindera benzoin</b> , Spice Bush . . . . .	6 to 12 in. . .	75	4 00	
<b>Leucothoë racemosa</b> . . . . .	4 to 12 in. . .	1 50		
" " <b>recurva</b> . . . . .	6 to 12 in. . .	50	3 00	\$25 00
" " . . . . .	1 to 2 ft. . .	75	5 00	
<b>Menziesia pilosa</b> (globularis) . . . . .	6 to 12 in. . .	50	3 00	25 00
" " . . . . .	1 to 2 ft. . .	75	5 00	
<b>Nemopanthes canadensis</b> . . . . .	4 to 12 in. . .	1 00		
<b>Potentilla fruticosa</b> , Shrubby Cinquefoil . . . . .	1 to 2 ft. . .	75	5 00	
<b>PYRUS arbutifolia</b> . . . . .	6 to 12 in. . .	50	3 00	
" " <b>Extra strong</b> . . . . .	1 to 2 ft. . .	1 00	8 00	60 00
<b>Rhus copallina</b> , Dwarf Sumach . . . . .	6 to 12 in. . .	50	3 00	
" " . . . . .	1 to 2 ft. . .	75	5 00	
" <b>typhina</b> , Staghorn Sumach . . . . .	1½ to 3 ft. . .	1 00	7 00	
" <b>glabra</b> , Smooth Sumach . . . . .	6 to 12 in. . .	75		
<b>Ribes cynosbati</b> . . . . .	1 to 2 ft. . .	1 00	8 00	
" <b>rotundifolium</b> . . . . .	2 to 3 ft. . .	1 00		
<b>Robinia viscosa</b> . . . . .	1 to 2 ft. . .	75	5 00	
" " . . . . .	2 to 3 ft. . .	1 00	8 00	
" " . . . . .	3 to 4 ft. . .	1 50		
" <b>hispida</b> , Rose Acacia . . . . .	1 to 2 ft. . .	75	5 00	
" " . . . . .	2 to 3 ft. . .	1 00	8 00	
<b>Crataegus crus-galli</b> , Cockspur Thorn. S. . . . .	3 to 5 in. . .	75	5 00	
<b>ROSA carolina</b> . . . . .	12 to 18 in. . .	1 00	6 00	40 00
" " <b>Extra fine</b> . . . . .	1½ to 3 ft. . .	1 25	7 00	55 00
" <b>setigera</b> , Prairie Rose . . . . .	1½ to 2 ft. . .	1 25	7 00	
" <b>lucida</b> . . . . .	6 to 12 in. . .	60	4 00	25 00
" " . . . . .	1 to 2 ft. . .	1 00	8 00	
" <b>rugosa ferox</b> . . . . .	6 to 12 in. . .	75	4 00	
" " . . . . .	1 to 2 ft. . .	1 25		
<b>Rhodora canadensis</b> , Rhodora . . . . .	6 to 9 in. . .	50	4 00	
<b>Rubus odoratus</b> , Flowering Raspberry . . . . .	6 to 12 in. . .	50	3 00	15 00
<b>Sambucus canadensis</b> , Elderberry. Col. . . . .	1 to 2 ft. . .	50	3 00	15 00
" <b>racemosa</b> . . . . .	1 to 2 ft. . .	1 00		
<b>SPIRÆA salicifolia</b> , Meadow Sweet . . . . .	1 to 2 ft. . .	75	3 50	20 00
" " . . . . .	2 to 4 ft. . .	1 00	6 00	45 00
" <b>tomentosa</b> , Steeple Bush . . . . .	6 to 18 in. . .	75	5 00	
" " . . . . .	1 to 2 ft. . .	1 25		
" <b>tomentosa alba</b> . . . . .	3 to 6 in. . .	1 00	8 00	
<b>Symphoricarpus racemosus</b> , Snowberry . . . . .	1½ to 3 ft. . .	1 00		
" <b>vulgaris</b> , Indian Currant . . . . .	12 to 18 in. . .	75	5 00	
<b>VACCINIUM hirsutum</b> , Hairy Huckleberry. . . . .	6 to 12 in. . .	1 50	10 00	
" <b>pennsylvanicum</b> . . . . .	4 to 12 in. . .	1 00		
" <b>stamineum</b> , Deerberr. (One of our choicest plants) . . . . .	6 to 12 in. . .	1 00	8 00	
" " . . . . .	1 to 2 ft. . .	1 50	12 50	
<b>Viburnum acerifolium</b> , Maple-leaved Arrow-wood . . . . .	6 to 12 in. . .	75	5 00	
" " . . . . .	1 to 2 ft. . .	1 00	7 50	
" " . . . . .	2 to 3 ft. . .	1 50	12 50	
" <b>cassinoides</b> , Shawnee Haw . . . . .	6 to 12 in. . .	60	4 00	30 00
" " . . . . .	1 to 2 ft. . .	1 00	7 00	

**XANTHORRHIZA apiifolia**, Yellow Root.

(Exceptionally fine undershrub for shady and moist situations. The cut leaves color beautifully in autumn. We supplied many thousands which were planted in Franklin Park, Boston, this spring).

3 to 6 in. . . 50 3 00 25 00

## CONIFERS AND EVERGREENS.

		Size	Per 10	100	1,000
<b>ABIES fraseri</b> , The True Southern Fraser's					
"	"	Fir. S. . . . .	2 to 4 in. . . \$0 35	\$2 00	\$8 00
"	"	" . . . . .	6 to 12 in. . . 40	3 00	15 00
"	"	" . . . . .	12 to 18 in. . . 75	5 00	35 00
"	"	Extra fine . . . . .	4 to 6 ft. . . 8 00		
"	"	Very heavy . . . . .	6 to 8 ft. . . 15 00		
<b>Chamaecyparis sphæroidea</b> , White Cedar . . . . .		2 to 3 ft. . . . .	75	4 00	
<b>ILEX opaca</b> , American Holly. 1 yr. trans. . . . .		3 to 6 in. . . . .	75	4 00	
"	"	" . . . . .	6 to 12 in. . . 1 25		
<b>Juniperus virginiana</b> , Red Cedar . . . . .		6 to 12 in. . . . .	50		
"	"	" . . . . .	1 to 2 ft. . . 1 25		
<b>Magnolia grandiflora</b> , Great Southern Magnolia. . . . .		6 to 12 in. . . . .	2 00	12 00	
"	"	glauca, Sweet Bay . . . . .	6 to 12 in. . . 75	5 00	
"	"	" . . . . .	12 to 18 in. . . 1 25	10 00	
<b>Picea nigra</b> , Black Spruce . . . . .		6 to 12 in. . . . .	40		
"	"	" . . . . .	12 to 18 in. . . 75		
"	"	" . . . . .	2 to 4 ft. . . 1 25	7 00	
"	"	" . . . . .	4 to 6 ft. . . 1 75	10 00	
<b>Pinus pungens</b> , Table Mountain Pine . . . . .		1 to 2 ft. . . . .	75		
"	"	" . . . . .	2 to 3 ft. . . 1 00	7 00	
"	"	" . . . . .	3 to 5 ft. . . 1 50	10 00	
"	"	strobis, White Pine. 1-year trans. . . . .	6 to 12 in. . . 75	4 00	30 00
"	"	" . . . . .	12 to 18 in. . . 1 00	8 00	
"	"	" . . . . .	1 to 2 ft. . . 1 25	10 00	
<b>TSUGA canadensis</b> , Hemlock . . . . .		6 to 12 in. . . . .	40	2 50	15 00
"	"	" . . . . .	12 to 18 in. . . 60	4 00	25 00
"	"	" . . . . .	1½ to 2 ft. . . 1 00	6 00	45 00
"	"	" . . . . .	2 to 3 ft. . . 1 75	15 00	115 00

See page 14 for very special offer of fine collected Hemlocks in different sizes.

### **TSUGA caroliniana**, Carolina Hemlock.

"	"	1-year trans. . . . .	2 to 3 in. . . 60	4 00	30 00
"	"	" . . . . .	3 to 6 in. . . 75	5 00	40 00
"	"	" . . . . .	6 to 12 in. . . 2 50	20 00	
"	"	" . . . . .	1 to 2 ft. . . 4 00		
"	"	" . . . . .	2 to 3 ft. . . 10 00		
"	"	" . . . . .	3 to 4 ft. . . 20 00		

Attains a height of 40 to 50 feet. This grand new Hemlock introduced by us possesses a distinct pyramidal growth. Its dense, dark foliage and graceful habit are only approached by some of the finer Japanese Hemlocks, which it somewhat resembles. Some fine specimens, 12 to 15 feet high, are now to be seen in the Arnold Arboretum, and are the first plants of this Hemlock ever sent out, being supplied by us to Prof. C. S. Sargent, Director, in 1884.

## EVERGREEN SHRUBS.

The following (mostly broad-leaved) Shrub Evergreens are of greatest value for massing and for ground covering. All are perfectly hardy, and most of them produce a grand show of flowers. It is needless here to more than call attention to the large stock of Rhododendrons and *Kalmia latifolia* offered below. All are carefully transplanted and cultivated, and are clean and stocky. I have special methods of growing, gained by long experience, which ensures healthy, well-ripened wood and good balls on roots, and the large quantities grown enable me to produce and sell at extraordinarily low prices. They will also be collected to order cheaply in any quantities. (See page 14.)

A specialty is made of collecting to order by the carload clumps and large plants of *Rhododendron maximum*, *Kalmia latifolia*, *Leucothoe catesbaei*, and others, which are sure to grow and produce a fine immediate effect. Cost for this service gladly estimated, and correspondence invited, particularly from Landscape Gardeners and Park and Cemetery Superintendents.



## EVERGREEN SHRUBS, continued.

	Size	Per 10	100	1,000
<b>Andromeda nitida.</b> Heavy clumps. (Fine broad-leaved evergreen, 2 to 4 feet high) . . . . .	4 to 12 in. . .	\$1 50	\$10 00	\$75 00
<b>ANDROMEDA polifolia</b> . . . . .	4 to 12 in. . .	1 00	7 00	50 00
<b>Cassandra calyculata,</b> Leather-Leaf . . . . .	3 to 12 in. . .	50	4 00	30 00
“ “ <b>Heavy</b> . . . . .	12 to 18 in. . .	1 00	7 00	
<b>Hypericum aureum</b> (large golden flowers) . . . . .	6 to 12 in. . .	1 50	12 50	
“ “ . . . . .	2 to 3 ft. . .	3 50		
“ <b>densiflorum</b> . . . . .	12 to 18 in. . .	75	5 00	35 00
“ “ . . . . .	2 to 4 ft. . .	1 00	8 00	60 00
“ <b>prolificum</b> . . . . .	6 to 12 in. . .	1 00		
“ “ <b>Very fine</b> . . . . .	1 to 2 ft. . .	1 50	12 00	
<b>Ilex glabra,</b> Ink Berry . . . . .	3 to 6 in. . .	1 00	8 00	
“ “ “ . . . . .	6 to 12 in. . .	1 50	12 00	
<b>KALMIA latifolia,</b> Mountain Laurel . . . . .	3 to 6 in. . .	50	2 50	20 00
“ “ “ . . . . .	6 to 12 in. . .	75	5 00	35 00
“ “ “ . . . . .	12 to 18 in. . .	1 50	12 50	
Clumps from 6 in. to 3 ft. high at from \$2.50 to \$8 per 10, \$15 to \$60 per 100, according to selection.				
<b>Kalmia angustifolia,</b> Dwarf Laurel . . . . .	6 to 12 in. . .	50	4 00	20 00
“ <b>glauca,</b> Pale Laurel . . . . .	12 to 18 in. . .	1 25	7 00	
<b>LEIOPHYLLUM buxifolium,</b> Sand Myrtle. <b>Heavy</b> . . . . .	6 to 12 in. . .	75	5 00	35 00
“ <b>buxifolium prostratum,</b> Mountain Heath. Heavy clumps . . . . .	4 to 12 in. . .	75	5 00	40 00
“ <b>buxifolium prostratum.</b> Extra large clumps. . . . .	6 to 12 in. . .	1 25	10 00	
<b>LEUCOTHOE catesbaei</b> . . . . .	6 to 12 in. . .	50	4 00	25 00
“ “ . . . . .	1 to 2 ft. . .	1 00	7 00	50 00
“ “ <b>Heavy clumps</b> . . . . .	1½ to 3 ft. . .	4 00		
<b>Ledum latifolium,</b> Labrador Tea . . . . .	3 to 9 in. . .	75	5 00	40 00
<b>RHODODENDRON catawbiense,</b> Purple Rhododendron . . . . .	3 to 6 in. . .	50	3 00	20 00
“ <b>catawbiense</b> . . . . .	6 to 12 in. . .	1 25	8 00	60 00
We offer about 85 fine clumps 18 to 36 in. high, very fine for massing, at \$1 to \$2 each, \$8 per 10. Will dispose of the lot at a special figure.				
<b>RHODODENDRON maximum</b> . . . . .	3 to 6 in. . .	50	2 50	20 00
“ “ . . . . .	6 to 12 in. . .	1 00	5 00	35 00
“ “ <b>Light</b> . . . . .	12 to 18 in. . .	1 50		
Some small clumps, 6 in. to 24 in. high, at 50 cts. to \$1.50 each, \$4 to \$8 per 10.				
<b>Rhododendron punctatum</b> . . . . .	3 to 6 in. . .	75	6 00	
“ “ . . . . .	6 to 12 in. . .	1 50	12 00	

## VINES, CLIMBERS AND CREEPERS.

Many plants here offered are of especial merit for ground covering, and where needed in very large quantities will be supplied at very low prices. *Ampelopsis quinquefolia* var. *Englemanni*, *Lonicera sempervirens*, *L. japonica*, *Polygonum cilinode*, *Celastrus scandens* and *Rubus hispidus* are particularly recommended. In soils adapted to its growth (peaty or loamy, and preferably moist), *Galax aphylla* makes a hardy, evergreen, undershrub covering of lasting beauty, being a rich green in summer and coloring vivid bronze tints in autumn and winter, an effect which must be seen to be appreciated.

	Per 10	100	1,000
<b>AMPELOPSIS quinquefolia</b> var. <b>englemanni.</b> Virginia Creeper. A variety that clings like the Ivy. Strong plants. 6 to 12 in. . . . .	\$0 75	\$4 00	\$35 00
Strong Col. plants, \$10 per 1,000.			
<b>Bignonia radicans,</b> Trumpet Vine. Strong . . . . .	40	3 00	15 00

## VINES, CLIMBERS and CREEPERS, continued.

	Per 10	100	1,000
<b>Celastrus scandens</b> , Bitter-Sweet. 1 to 2 ft. . . . .	\$0 75	\$5 00	
<b>CLEMATIS virginiana</b> , heavy. Col. . . . .	75	4 00	\$35 00
Small, strong plants, Col., \$10 per 1,000.			
<b>Cocculus carolinus</b> . . . . .	75	5 00	
<b>Dioscorea villosa</b> . . . . .	40	3 00	
<b>EPIGÆA repens</b> , Trailing Arbutus. Established clumps . . .	1 00	8 00	
“ “ “ “ Collected clumps . . . .	50	3 00	20 00
<b>GALAX aphylla</b> . Established clumps . . . . .	75	6 00	40 00
“ “ “ “ Collected clumps . . . . .	50	3 00	12 50
<b>Gaultheria procumbens</b> , Wintergreen. Col. clumps . . . .	30	2 00	15 00
<b>Houstonia serpyllifolia</b> , Bluets. Col. clumps . . . . .	30	2 00	15 00
<b>Ipomœa pandurata</b> , Moonflower . . . . .	1 00		
<b>Lonicera halleana</b> , Hall's Honeysuckle. Strong . . . . .	1 00	7 00	
“ “ “ “ Smaller . . . . .	50	4 00	
“ japonica . . . . .	50	4 00	
“ parviflora. Can be trained as a standard weeper . .	1 00	8 00	
<b>LONICERA sempervirens</b> , Scarlet Honeysuckle. An extra strong stock of this fine vine; especially adapted to ground covering . . . . .	50	4 00	25 00
<b>Lycopodium</b> , in variety. Peaty soils. Col. . . . .	50		
<b>Menispermum canadense</b> , Moonseed . . . . .	50	4 00	20 00
<b>Mitchella repens</b> , Partridge Vine. Col. clumps . . . . .	30	2 50	15 00
<b>Nepeta glechoma</b> , Ground Ivy. Col.; strong . . . . .	30	2 00	10 00
<b>Phlox reptans</b> , Trailing Phlox. Col. . . . .	30	2 50	12 50
<b>POLYGONUM cilinode</b> . A very quick covering . . . . .	30	2 00	12 50
<b>RUBUS hispida</b> . One of the best for all situations. Leaves color beautifully. Col. . . . .	30	2 00	10 00
“ trivialis. Col. . . . .	40	2 50	15 00
<b>Veronica serpyllifolia</b> and <b>officinalis</b> . Col. clumps . . . .	30	2 00	10 00
<b>Vitis cordifolia</b> , Frost Grape . . . . .	1 00	7 00	
“ labrusca, Fox Grape . . . . .	1 00	7 00	

## NATIVE FERNS.

	Per 10	100	1,000
<b>Adiantum pedatum</b> , Maidenhair Fern . . . . .	\$1 00	\$7 00	
<b>ASPIDIUM acrostichoides</b> , Dagger Fern . . . . .	75	5 00	\$30 00
“ marginale, Shield Fern . . . . .	75	5 00	30 00
“ spinulosum, Wood Fern . . . . .	75	5 00	30 00
<b>Botrychium lunarioides</b> . . . . .	60	4 00	
“ var. dissectum . . . . .	60	4 00	
“ virginicum . . . . .	60	4 00	
<b>Cystopteris bulbifera</b> . . . . .	1 00		
<b>DICKSONIA punctilobula</b> . Col. clumps . . . . .	50	2 00	10 00
<b>Lygodium palmatum</b> . . . . .	1 00		
<b>Onoclea sensibilis</b> . . . . .	1 00	5 00	
<b>OSMUNDA cinnamomea</b> , Cinnamon Fern . . . . .	75	5 00	35 00
“ claytoniana . . . . .	75	5 00	35 00
“ regalis, Royal Fern . . . . .	75	5 00	35 00
<b>Phegopteris hexagonoptera</b> . . . . .	75		
<b>Polypodium vulgare</b> , Polypody. Col. . . . .	50	2 00	10 00
<b>Pteris aquilina</b> , Brake. Col. . . . .	50	2 00	10 00

Most of the above Ferns will be collected to order at \$10 per 1,000, excepting the **Osmundas**, which are very heavy, at \$15 per 1,000. Only strong clumps will be sent.



## AQUATICS AND BOG PLANTS.

	Per 10	100	1,000
<i>Acornus calamus</i> , Sweet Flag . . . . .	\$0 60	\$3 00	
<i>Aster puniceus</i> , Swamp Aster . . . . .	50	2 00	\$10 00
<i>Chelone glabra alba</i> , White . . . . .	60	3 00	
<i>lyoni</i> , Snake Head. Pink . . . . .	60	3 00	20 00
<i>DIONÆA muscipula</i> , Venus' Fly-Trap . . . . .	60	3 50	25 00
<i>Drosera filiformis</i> , Thread-leaved . . . . .	1 00		
<i>rotundifolia</i> , Sundew . . . . .	50	2 00	8 00
<i>HELONIAS bullata</i> , Extra Fine Clumps . . . . .	60	3 00	20 00
<i>Ligusticum actæfolium</i> . . . . .	75	4 00	
<i>Nuphar sagittifolia</i> , Very rare . . . . .	3 50		
<i>Nymphaea odorata</i> , White Water Lily . . . . .	1 00	5 00	35 00
" <i>rosea</i> , Pink . . . . .	5 00	35 00	
<i>Orontium aquaticum</i> , Golden Club . . . . .	75	4 00	
<i>Sagittaria sagittifolia</i> , Arrow Head . . . . .	30	2 00	8 00
" <i>variabilis</i> . . . . .	30	2 00	8 00
<i>Sarracenia flava</i> , Trumpets . . . . .	1 00	8 00	
" <i>rubra</i> . . . . .	2 00		
" <i>purpurea</i> , Pitcher Plant. Extra strong . . . . .	75	5 00	
" <i>variolaris</i> . . . . .	1 00	8 00	60 00
<i>Sparganium ramosum</i> , Burr Reed . . . . .	50	3 00	
<i>Vaccinium macrocarpon</i> , Cranberry . . . . .	50	4 00	
"    "    Col. . . . .	35	2 00	6 00
<i>Typha latifolia</i> , Cat-tails . . . . .	50	2 50	

## ORCHIDS.

<i>Calopogon pulchellus</i> , Purple; very fine . . . . .	50	3 50	
<i>Cypripedium acaule</i> , Purple Lady-Slipper. Col. . . . .	50	4 00	30 00
" <i>pubescens</i> , Yellow Lady-Slipper. Col. . . . .	50	4 00	30 00
" <i>spectabile</i> , White, pink tinged . . . . .	2 00	15 00	
<i>Goodyera pubescens</i> , Rattlesnake Plantain. Col. . . . .	50	4 00	
<i>HABENARIA ciliaris</i> , Yellow Fringe . . . . .	75	4 00	30 00
" <i>orbiculata</i> , Col. . . . .	75	5 00	
" <i>psycodes</i> , Purple Fringe . . . . .	1 00		
<i>ORCHIS spectabilis</i> , Showy Orchis. Col. . . . .	75	5 00	

## LILIES AND BULBOUS PLANTS.

	Per 10	100	1,000
<i>Allium tricoccum</i> , White . . . . .	\$0 50	\$2 00	
" <i>cernuum</i> , Pink . . . . .	1 00		
<i>Arisæma triphylla</i> , Jack-in-the-Pulpit . . . . .	50	3 00	
<i>Amianthium muscatoxicum</i> . . . . .	50	2 50	\$15 00
" <i>angustifolium</i> . . . . .	50	2 50	15 00
<i>CONVALLARIA majalis</i> , Lily-of-the-Valley, Native form. Col. . . . .	50	2 50	15 00
<i>Dicentra cucullaria</i> , Squirrel Corn. Col. . . . .	50	2 00	
" <i>eximia</i> , Rare; finest variety . . . . .	1 00	8 00	
" <i>spectabile</i> . . . . .	1 50	12 00	
<i>Erythronium americanum</i> , Dog's-tooth Violet. Col. . . . .	25	1 00	7 00
<i>Lilium canadense</i> . . . . .	75	5 00	40 00
" <i>grayi</i> , 1st size . . . . .	2 00	12 50	80 00
"    "    2nd size, small . . . . .	1 00	7 00	50 00
" <i>philadelphicum</i> . . . . .	1 00	7 00	
" <i>superbum</i> , Turk's-Cap Lily. 1st size . . . . .	75	4 00	30 00
"    "    "    2nd size . . . . .	50	2 50	20 00
"    "    "    3rd size . . . . .	25	1 50	10 00
<i>Oxalis acetosella</i> , Col. . . . .	25	1 00	7 00
<i>Trillium erectum</i> , Purple . . . . .	30	2 00	15 00
" <i>erythrocarpum</i> , Painted Trillium . . . . .	50	2 50	
" <i>grandiflorum</i> , Col. . . . .	25	1 25	8 00
" <i>stylosum</i> , Nodding Trillium . . . . .	1 00	8 00	
" <i>sessile</i> var. <i>californicum</i> . . . . .	1 00	8 00	

## HERBACEOUS PERENNIALS.

	Per 10	100	1,000
<i>Aconitum reclinatum</i> . . . . .	\$1 25		
“ <i>uncinatum</i> . Purple . . . . .	75	\$5 00	\$35 00
<i>Actæa alba</i> . . . . .	50	3 00	20 00
<i>Agave virginica</i> . . . . .	35	75	
<i>Amsonia tabernamontana</i> . . . . .	1 00		
<i>Angelica curtisii</i> . . . . .	50	3 00	15 00
<b>AQUILEGIA canadense</b> . Clumps . . . . .	75	5 00	
<i>Aralia nudicaulis</i> . . . . .	50	2 00	
“ <i>racemosa</i> . . . . .	75	4 00	
<b>ARALIA quinquefolia</b> , Ginseng. The rare and valuable root exported to China, and commanding \$2.50 to \$4 per pound when dried Can be grown successfully, and is being largely planted by many throughout the states. Circulars giving full information, free . . . . .			
	50	3 00	20 00
“ Larger size . . . . .	1 00	5 00	35 00
<i>Archangelica hirsuta</i> . . . . .	60	3 00	
<i>Asarum shuttleworthii</i> . . . . .	50	3 00	
<i>Asclepias incarnata</i> var. <i>pulchra</i> . . . . .	75	4 00	
<i>Ascyrum crux-andræ</i> . Col. . . . .	60	3 00	
<i>Aster cordifolius</i> . Col. . . . .	50	3 00	10 00
“ <i>puniceus</i> . . . . .	50	2 00	10 00
“ <i>mixture</i> . . . . .	50	2 00	10 00
<i>Baptisia australis</i> . . . . .	1 50		
“ <i>tinctoria</i> . . . . .	75	4 00	
<i>Boykinia aconitifolia</i> . . . . .	50	3 00	
<i>Brunella vulgaris</i> . Col. . . . .	50	2 00	
<i>Campanula divaricata</i> . Clumps . . . . .	1 00		
<b>CAREX fraseri</b> . . . . .	75	5 00	40 00
<i>Caulophyllum thalictroides</i> . . . . .	60	4 00	
<i>Collinsonia</i> (?) . . . . .	50	3 00	
<i>Chamælerium carolinianum</i> . . . . .	50	3 00	25 00
<b>CIMICIFUGA racemosa</b> . . . . .	50	3 00	
“ <i>americana</i> . . . . .	75	4 00	
<i>Clintonia umbellata</i> . . . . .	40	2 00	
“ <i>borealis</i> . . . . .	40	2 00	
<i>Coreopsis lanceolata</i> . . . . .	75	4 00	
“ <i>trichosperma</i> . Col. . . . .	75	3 00	
“ <i>verticillata</i> . . . . .	75	4 00	
<i>Corydalis glauca</i> . Col. . . . .	50	2 00	
<i>Diphylleia cymosa</i> . . . . .	50	3 00	20 00
<i>Disporum lanuginosum</i> . . . . .	50	3 00	
<i>Eupatorium ageratoides</i> . . . . .	30	2 00	12 00
“ <i>perfoliatum</i> . . . . .	50		
“ <i>purpureum</i> . . . . .	50	3 00	20 00
<i>Euphorbia corollata</i> . . . . .	50	3 00	
<b>GALAX aphylla</b> . Established . . . . .	75	5 00	35 00
<i>Gentiana andrewsii</i> . . . . .	50	3 00	
<i>Geum radiatum</i> . . . . .	75	4 00	
<b>GILLENIA stipulacea</b> . Col. . . . .	50	2 00	15 00
<i>Helenium autumnale</i> . Clumps. Col. . . . .	50	3 00	
<i>Helianthus strumosus</i> . . . . .	60	3 00	
<i>Hepatica acutiloba</i> . Col. . . . .	40	2 00	12 50
“ <i>triloba</i> . . . . .	75	4 00	
<i>Heuchera americana</i> . . . . .	75	4 00	
“ <i>villosa</i> . . . . .	60	3 00	
“ <i>pubescens</i> . . . . .	75	4 00	
<i>Hibiscus</i> , Crimson Eye . . . . .	1 00		
<i>Hieracium venosum</i> . . . . .	50	3 00	
<i>Houstonia purpurea</i> . . . . .	50	3 00	
“ “ <i>var. tenuifolia</i> . . . . .	1 00	8 00	
<b>IRIS cristata</b> . Clumps. Strong . . . . .	1 00	5 00	35 00
“ “ Col. . . . .	40	2 00	10 00
“ <i>verna</i> . Clumps . . . . .	1 00	5 00	35 00
“ “ Col. . . . .	40	2 00	10 00
<b>KRIGIA dandelion</b> var. <i>montana</i> . New . . . . .	1 00	5 00	



## HERBACEOUS PERENNIALS, continued.

	Per 10	100	1,000
<b>LIATRIS</b> <i>spicata</i> var. <i>montana</i> . New	\$0 75	\$4 00	
<i>Lobelia cardinalis</i> , Cardinal Flower. Col.	50	3 00	
" <i>syphilitica</i> . Blue	75	4 00	
<i>Lysimachia ciliata</i> . Clumps	50	3 00	
" <i>quadrifolia</i> . Clumps	50	3 00	
<i>Melanthium virginicum</i>	1 00		
<i>Mertensia virginica</i>	1 00		
<i>Mimulus ringens</i> . Col. Clumps	50	2 00	\$12 00
<b>MONARDA</b> <i>didyma</i> . Col.	75	4 00	
<i>Phlox maculata</i>	75	5 00	
" <i>pilosa</i>	75		
" <i>subulata</i>	1 00		
<b>PHYSOSTEGIA</b> <i>virginiana</i> . Clumps	75	5 00	
<i>Podophyllum peltatum</i>	50	3 00	
<i>Polygonatum biflorum</i>	60	3 00	
" <i>giganteum</i>	75	5 00	
<i>Pyrola rotundifolia</i> . Col.	50	3 00	
<i>Rudbeckia fulgida</i> . Col.	50	2 00	
<i>Sanguinaria canadensis</i>	75	5 00	
" " Col.	50	2 00	8 00
<i>Saxifraga erosa</i> . Col.	60	3 00	
" <i>leucanthemifolia</i>	75	4 00	
<i>Scrophularia nodosa</i>	60	3 00	
<i>Sedum telephioides</i> . Clumps	1 00		
" <i>telephium</i>	1 00		
" <i>ternatum</i> . Col.	50	2 00	8 00
<b>SHORTIA</b> <i>galacifolia</i> . Established clumps	1 00	5 00	35 00
" " Lighter, transplanted	50	3 00	20 00
<i>Silene stellata</i>	50	3 00	
" <i>virginica</i>	75	5 00	30 00
" " Col.	40	2 00	15 00
<i>Smilacina bifolia</i> . Col.	40	2 00	10 00
" <i>racemosa</i>	50	3 00	20 00
<i>Solidago</i> . Dwarf, Alpine variety	1 00	6 00	
" <i>odora</i>	75	4 00	
" in variety. Col.	50	2 00	10 00
<b>SPIRÆA</b> <i>aruncus</i> . Col. Strong	50	4 00	
<i>Thalictrum dioicum</i>	60	2 00	
<i>Thaspium aureum</i> var. <i>trifoliatum</i> . Strong	50	3 00	
<i>Tradescantia pilosa</i>	50	3 00	20 00
" <i>virginica alba</i>	75	5 00	
<i>Trautvetteria palmata</i>	60	4 00	
<i>Triosteum perfoliatum</i>	50	3 00	
<i>Uvularia perfoliatum</i>	50	3 00	15 00
" <i>sessilifolia</i>	50	3 00	
<i>Veratrum viride</i>	50	3 00	15 00
<i>Veronica virginica</i> . Clumps	50	4 00	
<i>Viola canadensis</i>	75	4 00	
" <i>cucullata</i> . Clumps	50	3 00	15 00
" " var. <i>nana</i>	1 00		
" " " with cut leaves	1 00		
" <i>hastata</i>	50		
" <i>palmata</i> . Clumps	75		
" <i>palmata</i> var. <i>laciniata</i>	1 00		
" <i>pedata</i>	75	4 00	35 00
" " var. <i>bicolor</i>	1 00	8 00	
" " var. <i>alba</i>	3 00		
" <i>rotundifolia</i>	50	2 00	
<b>YUCCA</b> <i>filamentosa</i> . Clumps	60	4 00	30 00
" " Small; 1 yr.	40	2 00	10 00
" <i>recurvifolia</i> . Clumps	60	4 00	30 00
" " Small; 1 yr.	40	2 00	10 00
<i>Xerophyllum asphodeloides</i> . Col. clumps	50	2 00	
<i>Zigadenus leimanthoides</i>	60	3 00	
" <i>elegans</i>	1 00		



## COLLECTED STOCK TO ORDER AT SPECIAL PRICES,

For large plantings, lining out in nursery, etc.

All seedlings, except where otherwise stated . .

	Size	Price per		
		100	1,000	10,000
<b>DECIDUOUS.</b>				
<b>Acer striatum</b> , Striped Maple . . . . .	6 to 12 in. . .	\$1 50	\$7 00	\$50 00
“ <b>rubrum</b> , Scarlet Maple . . . . .	6 to 12 in. . .	1 50	8 00	60 00
“ <b>saccharinum</b> , Sugar Maple . . . . .	6 to 18 in. . .	1 00	5 00	40 00
“ <b>spicatum</b> , Mountain Maple . . . . .	6 to 12 in. . .	1 50	7 00	
<b>Betula lenta</b> , Black Birch . . . . .	6 to 18 in. . .	1 00	5 00	40 00
“ <b>lutea</b> , Yellow Birch . . . . .	6 to 18 in. . .	1 00	5 00	40 00
<b>Cornus alternifolia</b> , Swamp Dogwood . . . . .	6 to 12 in. . .	1 00	6 00	
<b>Fraxinus americana</b> , White Ash . . . . .	6 to 12 in. . .	1 00	5 00	35 00
<b>Prunus pennsylvanicum</b> , Wild Cherry . . . . .	6 to 12 in. . .	1 00	7 00	
<b>Clethra acuminata</b> , Southern Pepper Bush . . . . .	6 to 12 in. . .	1 50	8 00	
<b>HYDRANGEA arborescens</b> , Wild Hydrangea. Fine under-shrub. Dug plants . . . . .	6 to 12 in. . .	1 50	10 00	75 00
<b>RUBUS odoratus</b> , Flowering Raspberry. Dug plants . . . . .	6 to 12 in. . .	1 00	8 00	60 00
<b>Sambucus canadensis</b> , White Elder. Dug plants . . . . .	6 to 12 in. . .	1 00	8 00	60 00
<b>Viburnum cassinoides</b> . . . . .	3 to 9 in. . .	1 00	6 00	40 00
<b>XANTHORRHIZA apiifolia</b> , Yellow Root. Dug plants . . . . .	4 to 12 in. . .	1 50	8 00	60 00
<b>Azalea viscosa</b> , Dwarf White Azalea. Dug plants . . . . .	4 to 12 in. . .	1 00	7 00	50 00
“ <b>calendulacea</b> , Flame-colored Azalea. Dug plants . . . . .	4 to 12 in. . .	2 00	15 00	125 00
<b>EVERGREENS.</b>				
<b>Abies fraseri</b> , Frazer's Southern Fir . . . . .	6 to 12 in. . .	1 25	7 00	50 00
<b>Ilex opaca</b> , American Holly. Dug plants, cut back. <i>Will grow</i> . . . . .	4 to 12 in. . .	3 00	20 00	125 00
<b>Picea nigra</b> , Black Spruce . . . . .	6 to 12 in. . .	1 00	5 00	30 00
<b>Pinus strobus</b> , White Pine . . . . .	6 to 12 in. . .	1 00	6 00	40 00
<b>TSUGA canadensis</b> , Hemlock . . . . .	3 to 6 in. . .	50	2 50	18 00
“ “ “ . . . . .	6 to 12 in. . .	75	5 00	30 00
“ “ “ . . . . .	1 to 2 ft. . .	1 00	8 00	70 00
“ “ “ Very fine . . . . .	2 to 3 ft. . .	3 00	20 00	

*I* have very exceptional facilities for collecting the finest seedlings of Hemlock, as noted above, from 3 inches to 2 feet in height, at a remarkably low figure, and have shipped hundreds of thousands the past two seasons, which have given the greatest satisfaction. Nurserymen can hardly stock up too heavily on Hemlocks, as they constantly increase in value in the nursery row, and there is almost unlimited demand for them in all sizes at good prices. **Write for very special estimate on 50,000 to 100,000 lots, collected to order.** The nursery-grown stock quoted above is very fine.

	Size	100	1,000	10,000
<b>Hypericum densiflorum</b> . . . . .	6 to 12 in. . .	\$1 50	\$10 00	\$75 00
<b>Kalmia latifolia</b> , Mountain Laurel . . . . .	3 to 6 in. . .	1 00	7 00	55 00
“ “ “ . . . . .	6 to 12 in. . .	1 75	15 00	125 00
<b>LEUCOTHÖE catesbaei</b> . . . . .	12 to 18 in. . .	6 00	45 00	
“ “ “ Dug plants . . . . .	6 to 18 in. . .	1 75	15 00	125 00
Heavier stock at special prices by the car-load.				
<b>Leiophyllum buxifolium</b> , Very fine . . . . .	4 to 12 in. . .	1 00	7 00	60 00
<b>Rhododendron maximum</b> . . . . .	3 to 6 in. . .	1 00	7 00	55 00
“ “ “ . . . . .	6 to 12 in. . .	1 75	15 00	125 00
“ “ “ . . . . .	12 to 18 in. . .	6 00	45 00	